



All-In-One Meeting Room Scheduling Panel



Yealink RoomPanel is an 8 inch all-in-one meeting room schedule panel runs android 9.0 and comes with full RGB programmable LED background illumination for immediate visible communication of room status. It includes 10-point touch capability, 2x2 MIMO 802.11ac Wi-Fi, Bluetooth 5.0, built-in NFC/RFID reader, enhanced microphone arrays and speakers to meet all modern workspace demands. Also equipped with Power-over-Ethernet and a variety of mounting brackets, Yealink RoomPanel could be easily mounted on any surface.

Key features and benefits



8-Inch 10-Point Interactive Panel

10-Point touch capability screen to easily book rooms or check-in/out at room panel.



Anti Fingerprint Screen

Keep the screen clean and free from fingerprints and oil stains.



High Visibility LED Bars out Room Status

Full RGB LED bars for immediate all-round visible communication of room status.




Ambient Light & Proximity Sensor Embedded

Environment self-adaptation. Automatically adjust the screen brightness and automatically wake up the screen.




Any Walls, and Tilt Optional

Provide brackets and 3M velcro. Compatible with electrical box, glass and wood, etc., with optional parallel or tilt angle.



Orientation Optional

Easy to mount with portrait or landscape.



PoE or DC Power

Minimalist and flexible installation, keep workspace tidy and modern.



Remote Device Management

Easily monitor, manage, and diagnose by Yealink Management Cloud Server.



802.11ac 2x2 Wi-Fi

Support wireless network deployment and anti-jamming dual-band Wi-Fi.




Bluetooth 5.0

Directly connect to room sensors without extra gateways and support proximity features.



RFID & NFC Embedded

Enhance ID authorization security and track meeting attendees.



Actions with Occupancy Sensor

Actions with the room occupancy sensor, such as automatic release, automatic check-in, etc.

Specifications

Basic

- Operating System: Android 9

Display

- Size: 8" LCD Panel (16:10)
- Resolution: 1280x800
- Contrast: 1000:1
- Viewing Angle(H/V): $\pm 80^\circ/\pm 80^\circ$
- 10 points capacitive multi-touch
- Anti-fingerprint Coating
- Proximity Sensor: Yes
- Ambient Light Sensor: Yes

Connectivity

- Ethernet: 1 x Fast ethernet port (10/100Mbps)
- Wi-Fi: 2x2 MIMO, 802.11a/b/g/n/ac
- Bluetooth: 5.0
- RFID/NFC: 13.56MHz
- USB Port: 1 x USB-C port
- Button: 1 x Reset pin hole

Audio

- Microphone: 2 x Array Microphones
- Speaker: 2 x 1 Watt Speakers

Power Supply

- Power over Ethernet (IEEE 802.3af)
- 12V Power Adapter

Mounting Options

- Surface mount for 2-gang US electrical box
- 20° tilt mount kit for wall or glass
- Flush mount kit for wall or glass

Dimensions

- Display size (mm): 209 x 146 (8.23" x 4.06")
- Weight: 0.53kg (1.168 lb)

Yealink



Pulse Supply
909 Ridgebrook Road., Sparks, Maryland 21152, USA
TEL : +1-410-583-1701 FAX : +1-410-583-1704
E-mail: sales@pulsesupply.com
<https://www.pulsesupply.com/microsoft-teams>

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R. China
Copyright©2019 Yealink Inc.All right reserved.