



Dial up your guest experience a notch with our contemporary corded phones. Elegant styling lends a modern, fresh touch to guest rooms, while antibacterial plastic protects guests and housekeeping staff from germs.

Contemporary SIP Corded Phone | 1-Line CTM-S2210-L | 2-Line CTM-S2220-L

Key Features

- · Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- USB Charging Port Conveniently charge the guest's smart phone and other electronic devices
- Remote Configuration Program speed dials and other network parameters remotely from the server room to avoid disturbing the guest
- Base Speakerphone With the touch of a button, the base speakerphone makes hands-free conversations easy

Silver and Black

Phone Features

- 10/100Mbps RJ45 switched computer port provides HSIA for guest computer
- Large, bright visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs
- Power over Ethernet (PoE) Telephone features will work without needing to plug into AC power
- · Fully customizable faceplate for hotel brand and dialing instructions
- 0, 3, 5 or 10 customizable speed dials provide the hotel's services and amenities at the guest's fingertips
- · Conference (2-Line phone only), Flash, Hold,

- · Base dialpad
- · Desk- or wall-mountable
- · Hearing aid compatible
- · Multi-step volume control for ring tones, speakerphone and handset
- · Selectable ring tones
- · Sturdy, solid phone stays in place on the desk or nightstand
- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- · 2-year limited warranty



Matte Black



Silver and Pearl













Contemporary SIP Corded Phone | 1-Line CTM-S2210-L | 2-Line CTM-S2220-L

Specifications

Certified with all major SIP PBXs

Colors: Silver Black, Matte Black, Silver Pearl

Power Source: PoE

Master Carton Measurements: 22.2 in. x 17.8

in. x 9.7 in., 29.3 lbs, 12 per carton

Phone Measurements: 8 in. x 6 in. x 4.2 in.,

2.2 lbs

Message waiting signal type: Varies by PBX

Flash: Programmable timing (100/300/600ms)

Humidity: 65% ± 20% Temperature: 25° C ± 10° C

Certifications:

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS

Cords:

- 12-foot standard coiled handset cord
- 10-foot standard LAN cable with RJ45 connectors



Silver and Black



Matte Black



Silver and Pearl



ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. government.



Contemporary SIP Corded Phone | 1-Line CTM-S2210-L | 2-Line CTM-S2220-L

Product Part Numbers

Custom Speed Dial Keys

	Silver and Black	Matte Black	Silver and Pearl
 Model No. S2210-L: 1-Line Corded Speakerphone, 10 Speed Dial Keys 	80-H0C7-00-000-10	80-H0C7-13-000-10	80-H0C7-08-000-10
 Model No. S2210-L: 1-Line Corded Speakerphone, 5 Speed Dial Keys 	80-H0C7-00-000-5	80-H0C7-13-000-5	80-H0C7-08-000-5
 Model No. S2210-L: 1-Line Corded Speakerphone, 3 Speed Dial Keys 	80-H0C7-00-000-3	80-H0C7-13-000-3	80-H0C7-08-000-3
 Model No. S2210-L: 1-Line Corded Speakerphone, Custom Speed Dial Keys 	80-H0C7-00-000-CC	80-H0C7-13-000-CC	80-H0C7-08-000-CC
 Model No. S2220-L: 2-Line Corded Speakerphone, 10 Speed Dial Keys 	80-H0C8-00-000-10	80-H0C8-13-000-10	80-H0C8-08-000-10
 Model No. S2220-L: 2-Line Corded Speakerphone, 5 Speed Dial Keys 	80-H0C8-00-000-5	80-H0C8-13-000-5	80-H0C8-08-000-5
 Model No. S2220-L: 2-Line Corded Speakerphone, 3 Speed Dial Keys 	80-H0C8-00-000-3	80-H0C8-13-000-3	80-H0C8-08-000-3
Model No. S2220-L: 2-Line Corded Speakerphone,	80-H0C8-00-000-CC	80-H0C8-13-000-CC	80-H0C8-08-000-CC



Silver and Black



Matte Black



Silver and Pearl

