



When space is at a premium, our SIP corded Petite Phone<sup>®</sup> is a perfect fit. Smaller than the standard-size guest room phone, it settles in discreetly. Despite its small size, it's full of features that accommodate the most demanding guests.

Contemporary SIP Corded Petite Phone | 1-Line CTM-S2211-L | 2-Line CTM-S2221-L

# **Key Features**

- · Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- USB charging port makes it easy for guests to charge smart phones and
- Glossy silver or matte finish resists fingerprint smudges and scratches
- · Compact size; perfect for guest rooms with limited space
- Five feature keys that may be removed entirely for greater control over other electronic devices features offered to guests

Silver and Black (0 speed dials)

### **Phone Features**

- 10/100Mbps RJ45 switched computer port provides HSIA for guest computer
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- Large, bright visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs
- Power over Ethernet (PoE): telephone features work without AC power
- Fully customizable faceplate for hotel brand and dialing instructions

- 0, 3, 5 or 10 customizable speed dials put the hotel's services and amenities at the guest's fingertips
- Conference\*, Flash, Hold and Mute
- 1 or 2 lines with line key indication\*
- Automatic line selection\*
- Base dialpad
- · Desk- or wall-mountable
- Multi-step volume control for ring tones and handset
- Selectable ring tones
- · 2-year limited warranty
- \* 2-line model only



Matte Black

Silver and Pearl





page 1/3





Petite Phone® is a registered trademark of VTech Communications, Inc.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. government.





# Contemporary SIP Corded Petite Phone | 1-Line CTM-S2211-L | 2-Line CTM-S2221-L

### **Specifications**

Colors: Silver and Black, Matte Black, Silver and Pearl

Power Source: PoE

Message Waiting Signal Type: Varies by PBX

Flash: Programmable timing (100/300/600ms)

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

#### **Certifications:**

- HAC

- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL - RoHS
- הטחט

## Cords:

- 12-foot standard coiled handset cord
- 10-foot standard telephone line cord with RJ45 connectors



Silver and Black (0 speed dials)



Matte Black



Silver and Pearl

## Dimensions

Master Carton Measurements: 19.7 in. x 14 in. x 9.4 in., 23 lbs, 12 per carton Phone Measurements: 3.6 in. x 8.5 in. x 2.4 in., 1.5 lbs





# Contemporary SIP Corded Petite Phone | 1-Line CTM-S2211-L | 2-Line CTM-S2221-L

# **Product Part Numbers**

Silver and Black	Matte Black	Silver and Pearl
80-H0C5-00-000-10	80-H0C5-13-000-10	80-H0C5-08-000-10
80-H0C5-00-000-5	80-H0C5-13-000-5	80-H0C5-08-000-5
80-H0C5-00-000-3	80-H0C5-13-000-3	80-H0C5-08-000-3
80-H0C5-00-000-CC	80-H0C5-13-000-CC	80-H0C5-08-000-CC
80-H0C6-00-000-10	80-H0C6-13-000-10	80-H0C6-08-000-10
80-H0C6-00-000-5	80-H0C6-13-000-5	80-H0C6-08-000-5
80-H0C6-00-000-3	80-H0C6-13-000-3	80-H0C6-08-000-3
80-H0C6-00-000-CC	80-H0C6-13-000-CC	80-H0C6-08-000-CC
	80-H0C5-00-000-3 80-H0C5-00-000-3 80-H0C6-00-000-10 80-H0C6-00-000-5 80-H0C6-00-000-3	80-H0C5-00-000-5 80-H0C5-13-000-5   80-H0C5-00-000-3 80-H0C5-13-000-3   80-H0C6-00-000-6 80-H0C6-13-000-6   80-H0C6-00-000-5 80-H0C6-13-000-5   80-H0C6-00-000-3 80-H0C6-13-000-5





Matte Black



Silver and Pearl

page 3/3